

Dear Governor Reeves,

Again I find myself writing to you regarding Covid-19 vaccines and recommendations by your advisor, Dr. Thomas Dobbs.

I assume you are aware of his MS Health Alert Network Alert of Thursday, September 9, 2021, giving a Mississippi Statewide Standing Order for Women to Receive COVID-19 Vaccines During Pregnancy. I realize he was unquestionably following CDC guidelines.

We have all learned over the past several weeks that officials in the federal agencies have been lying to us regarding SARS-V1. To assume that is the only subject in which they have been untruthful would be naive. Everything at this point should be scrutinized especially when it has to do with the health and wellbeing of your citizens. It is Dr. Dobb's job to be sure his 'orders' are in the best interest of Mississippians (even if he thinks they are "anti-science Nazis and excuse monkeys")

So let us examine his misguided recommendation. Below find the entire article which exposes another CDC manipulation (and Dr. Dobbs as well).

The "study" used to justify the mandate was published in the New England Journal of Medicine entitled, "Preliminary Findings of mRNA Covid-19 Vaccine Safety in Pregnant Persons." That study's authors include the "CDC v-safe COVID-19 Pregnancy Registry Team' and concluded,

"Preliminary findings did not show obvious safety signals among pregnant persons who received mRNA Covid-19 vaccines. However, more longitudinal follow-up, including follow-up of large numbers of women vaccinated earlier in pregnancy, is necessary to inform maternal, pregnancy, and infant outcomes.' "

As pointed out in the article, "However, when reading the small print of table 4, in which they claim just 104 / 12.6% of 827 completed pregnancies resulted in miscarriage (spontaneous abortion), we can see that the numbers they have presented are extremely misleading."

The article goes on to point out that "the rate of incidence of miscarriage is **82%, not 12.6%**" This is unconscionable. As stated in the article,

"As of the 23rd June 2021 a total of **289 women have reported the loss of their baby due to the Covid-19 vaccines**. However, the actual number could be eye-wateringly higher due to only 1% – 10% of adverse reactions being reported to the scheme."

It is all hidden in plain sight.

Perhaps Dr. Dobbs has an explanation. He should share it during a debate with Dr. Peter McCullough on October 29th.

Please stop taking his advice. Your constituents' lives depend on it.

Respectfully,

Carol Hill

Diamondhead, MS

[CDC manipulated study data to show the Covid-19 Vaccines are safe for Pregnant Women when in reality 4 in 5 suffered a miscarriage – The Expose](#)

CDC manipulated study data to show the Covid-19 Vaccines are safe for Pregnant Women when in reality 4 in 5 suffered a miscarriage

July 6, 2021

Data has been manipulated by scientists carrying out a real-world study for the CDC to show that the Covid-19 vaccines are safe for use during pregnancy, however an analysis of the actual findings shows that 4 out of 5 pregnant women vaccinated suffered a miscarriage.

The study entitled '[Preliminary Findings of mRNA Covid-19 Vaccine Safety in Pregnant Persons](#)', has been published on the New England Journal of Medicine. From December 14, 2020, to February 28, 2021, data from the "v-safe after vaccination health checker" surveillance system, the v-safe pregnancy registry, and the Vaccine Adverse Event Reporting System (VAERS) was used to characterise the initial safety of mRNA Covid-19 vaccines in pregnant persons.

The authors conclusion of the study is as follows –

'Preliminary findings did not show obvious safety signals among pregnant persons who received mRNA Covid-19 vaccines. However, more longitudinal follow-up, including follow-up of large numbers of women vaccinated earlier in pregnancy, is necessary to inform maternal, pregnancy, and infant outcomes.'

The authors of the study, which include the 'CDC v-safe COVID-19 Pregnancy Registry Team' were able to conclude this due to way they presented their findings which were as follows –

'Among 827 participants who had a completed pregnancy, the pregnancy resulted in a live birth in 712 (86.1%), in a spontaneous abortion in 104 (12.6%), in stillbirth in 1 (0.1%), and in other outcomes (induced abortion and ectopic pregnancy) in 10 (1.2%).'

Table 4

Pregnancy Loss and Neonatal Outcomes in Published Studies and V-safe Pregnancy Registry Participants.

Participant-Reported Outcome	Published Incidence* %	V-safe Pregnancy Registry† no./total no. (%)
Pregnancy loss among participants with a completed pregnancy		
Spontaneous abortion: <20 wk ¹⁵⁻¹⁷	10–26	104/827 (12.6) [‡]
Stillbirth: ≥ 20 wk ¹⁸⁻²⁰	<1	1/725 (0.1) [§]
Neonatal outcome among live-born infants		
Preterm birth: <37 wk ^{21,22}	8–15	60/636 (9.4) [¶]
Small size for gestational age ^{23,24}	3.5	23/724 (3.2)
Congenital anomalies ^{25**}	3	16/724 (2.2)
Neonatal death ^{26††}	<1	0/724

The authors of the study also made the following claim based on the above numbers –

Although not directly comparable, calculated proportions of adverse pregnancy and neonatal outcomes in persons vaccinated against Covid-19 who had a completed pregnancy were similar to incidences reported in studies involving pregnant women that were conducted before the Covid-19 pandemic.

However, when reading the small print of table 4, in which they claim just 104 / 12.6% of 827 completed pregnancies resulted in miscarriage (spontaneous abortion), we can see that the numbers they have presented are extremely misleading.

This is because of the 827 completed pregnancies, 700 / 86% of the women had received a dose of either the Pfizer or Moderna Covid-19 vaccine during the third trimester of pregnancy. The third trimester of pregnancy is from week 27 – 40, and it is therefore impossible to suffer a miscarriage due to the fact they are considered as occurring prior to week 20 of a pregnancy.

*The populations from which these rates are derived are not matched to the current study population for age, race and ethnic group, or other demographic and clinical factors.

†Data on pregnancy loss are based on 827 participants in the v-safe pregnancy registry who received an mRNA Covid-19 vaccine (BNT162b2 [Pfizer–BioNTech] or mRNA-1273 [Moderna]) from December 14, 2020, to February 28, 2021, and who reported a completed pregnancy. A total of 700 participants (84.6%) received their first eligible dose in the third trimester. Data on neonatal outcomes are based on 724 live-born infants, including 12 sets of multiples.

‡A total of 96 of 104 spontaneous abortions (92.3%) occurred before 13 weeks of gestation.

§The denominator includes live-born infants and stillbirths.

¶The denominator includes only participants vaccinated before 37 weeks of gestation.

‡Small size for gestational age indicates a birthweight below the 10th percentile for gestational age and infant sex according to INTERGROWTH-21st growth standards (<http://intergrowth21.ndog.ox.ac.uk>). These standards draw from an international sample including both low-income and high-income countries but exclude children with coexisting conditions and malnutrition. They can be used as a standard for healthy children growing under optimal conditions.

**Values include only major congenital anomalies in accordance with the Metropolitan Atlanta Congenital Defects Program 6-Digit Code Defect List (www.cdc.gov/ncbddd/birthdefects/macdp.html); all pregnancies with major congenital anomalies were exposed to Covid-19 vaccines only in the third trimester of pregnancy (i.e., well after the period of organogenesis).

††Neonatal death indicates death within the first 28 days after delivery.

This means just 127 women received either the Pfizer or Moderna Covid-19 vaccine during the first / second trimester, with 104 of the woman sadly losing their baby.

Therefore the rate of incidence of miscarriage is 82%, not 12.6% as presented in the findings of the study.

It is impossible for anyone vaccinated during the third trimester to suffer a miscarriage in respect of the parameters set in the study. A pregnancy loss in this case would be considered a still birth, occurring after week 20 of pregnancy.

The authors of this study have manipulated the data to show that the Covid-19 vaccines are safe for use during pregnancy. The actual findings show that they are far from it. Their actions are now having dire consequences for women throughout the United Kingdom.

As of the 23rd June 2021 a total of [289 women have reported the loss of their baby due to the Covid-19 vaccines](#). However, the actual number could be eye-wateringly higher due to only 1% – 10% of adverse reactions being reported to the scheme.

153 reports of miscarriage, 1 report of a premature baby sadly dying, 5 reports of foetal death, and 4 reports of stillbirth have been reported as adverse reactions to the Pfizer vaccine.

Case Series Drug Analysis Print

Name: COVID-19 mRNA Pfizer- BioNTech Vaccine Analysis Print

Report Run Date: 26-Jun-2021

Data Lock Date: 23-Jun-2021 18:30:09

Earliest Reaction Date: 13-Apr-1968

MedDRA Version: MedDRA 24.0

Reaction Name	Total	Fatal
Pregnancy conditions		
<i>Abortions not specified as induced or spontaneous</i>		
Abortion missed	2	0
<i>Abortions spontaneous</i>		
Abortion spontaneous	151	3
Abortion threatened	1	0
<i>Gestational age and weight conditions</i>		
Premature baby	4	1
<i>Stillbirth and foetal death</i>		
Foetal death	5	1
Stillbirth	4	1

113 reports of miscarriage, 1 report of foetal death, and 2 reports of stillbirth have been reported as adverse reactions to the AstraZeneca vaccine.

Case Series Drug Analysis Print

Name: COVID-19 AstraZeneca Vaccine Analysis Print

Report Run Date: 26-Jun-2021

Data Lock Date: 23-Jun-2021 18:30:09

Earliest Reaction Date: 03-Feb-1921

MedDRA Version: MedDRA 24.0

Reaction Name	Total	Fatal
Pregnancy conditions		
<i>Abortions not specified as induced or spontaneous</i>		
Abortion missed	1	0
<i>Abortions spontaneous</i>		
Abortion spontaneous	112	1
<i>Stillbirth and foetal death</i>		
Foetal death	1	0
Stillbirth	2	1

7 reports of miscarriage have been reported as adverse reactions to the recently emergency approved Moderna vaccine.

Case Series Drug Analysis Print

Name: COVID-19 Moderna Vaccine Analysis Print

Report Run Date: 26-Jun-2021

Data Lock Date: 23-Jun-2021 18:30:09

Earliest Reaction Date: 15-Oct-1958

MedDRA Version: MedDRA 24.0

Reaction Name	Total	Fatal
Pregnancy conditions		
<i>Abortions spontaneous</i>		
Abortion spontaneous	7	0

If this isn't a blatant crime against humanity, then we don't know what is.

